

AIR-Q[®] 3

SUPRAGLOTTIC AIRWAY



Air-Q®3 Supraglottic Airway (SGA)

The advanced, silicone Air-Q®3 helps deliver safety and confidence in airway management, no matter what airway challenges you face. The unique ET tube ramp and epiglottis elevator aid in fast, easy, and safe intubations.



AIR-Q®3

Provides exceptional ease of ETT placement when unexpected intubation is required.



AIR-Q®3G

Features an extra wide gastric inlet that accommodates O.G. tubes up to 18 Fr and two gastric channels.



AIR-Q®SP3

Uses positive pressure ventilation to self-pressurize the cuff. Cuff pressures cycle between peak airway pressure and PEEP levels.



AIR-Q®SP3G

Uses positive pressure ventilation to self-pressurize the cuff. Cuff pressures cycle between peak airway pressure and PEEP levels. Features a self-pressurizing cuff with an extra wide gastric inlet that accommodates OG tubes up to 18 Fr and two gastric channels..

Perfect Placement Made Easy

Air-Q®3 supraglottic
Airway provides:


- Anatomically correct placement of the masked airway
- Lifting of the epiglottis to maximize access
- Guide ramp to assist with ETT insertion and placement

Airway Comparison

Air-Q®3 with
Epiglottis Elevator





Competitive SGA



EPIGLOTTIS ELEVATOR

Our unique supraglottic airway includes an epiglottis elevator and raised heel to optimize airway placement and seal.



DISPOSABLE REMOVAL STYLETS

ITEM	STYLET SIZE	AIR-Q3 SIZE	MAXIMUM OETT	WEIGHT	PK
10-1006	00	0 - 1.5	4.5 mm	4 - 17 kg	10
10-1005	0	2 - 3	6.0 mm	17 - 60 kg	10
10-1004	1	4 - 5	9.0 mm	> 60 kg	10



AIR-Q®3 SUPRAGLOTTIC AIRWAY WITH 15 MM CONNECTOR

ITEM	DESCRIPTION	SIZE	IDEAL BODY WEIGHT	MAXIMUM OETT	MOUTH OPENING	LENGTH OF TUBE	MAXIMUM OG TUBE	INFLATION VOLUME
30005	Air-Q3	0	< 2 kg	3.0 mm	5 mm	6 cm	—	0 – 0.5 mL
30055	Air-Q3	0.5	2 – 4 kg	4.0 mm	8 mm	7 cm	—	0 – 0.5 mL
30105	Air-Q3	1	4 – 7 kg	4.5 mm	11 mm	9 cm	—	0.5 – 1 mL
30155	Air-Q3	1.5	7 – 17 kg	5.0 mm	14 mm	11 cm	—	1 mL
30205	Air-Q3	2	17 – 30 kg	5.5 mm	17 mm	14 cm	—	1 – 2 mL
30305	Air-Q3	3	30 – 60 kg	7.0 mm	20 mm	16 cm	—	2 – 3 mL
30405	Air-Q3	4	60 – 80 kg	8.0 mm	23 mm	18 cm	—	3 – 4 mL
30505	Air-Q3	5	> 80 kg	9.0 mm	25 mm	20 cm	—	4 – 5 mL
50005	Air-Q3G	0	< 2 kg	3.0 mm	5 mm	6 cm	5 Fr	0 – 0.5 mL
50055	Air-Q3G	0.5	2 – 4 kg	4.0 mm	8 mm	7 cm	6 Fr	0 – 0.5 mL
50105	Air-Q3G	1	4 – 7 kg	4.5 mm	11 mm	9 cm	8 Fr	0.5 – 1 mL
50155	Air-Q3G	1.5	7 – 17 kg	5.0 mm	14 mm	11 cm	8 Fr	1 mL
50205	Air-Q3G	2	17 – 30 kg	5.5 mm	17 mm	14 cm	10 Fr	1 – 2 mL
50305	Air-Q3G	3	30 – 60 kg	7.0 mm	20 mm	16 cm	14 Fr	2 – 3 mL
50405	Air-Q3G	4	60 – 80 kg	8.0 mm	23 mm	18 cm	16 Fr	3 – 4 mL
50505	Air-Q3G	5	> 80 kg	9.0 mm	25 mm	20 cm	18 Fr	4 – 5 mL
40005	Air-Qsp3	0	< 2 kg	3.0 mm	5 mm	6 cm	—	—
40055	Air-Qsp3	0.5	2 – 4 kg	4.0 mm	8 mm	7 cm	—	—
40105	Air-Qsp3	1	4 – 7 kg	4.5 mm	11 mm	9 cm	—	—
40155	Air-Qsp3	1.5	7 – 17 kg	5.0 mm	14 mm	11 cm	—	—
40205	Air-Qsp3	2	17 – 30 kg	5.5 mm	17 mm	14 cm	—	—
40305	Air-Qsp3	3	30 – 60 kg	7.0 mm	20 mm	16 cm	—	—
40405	Air-Qsp3	4	60 – 80 kg	8.0 mm	23 mm	18 cm	—	—
40505	Air-Qsp3	5	> 80 kg	9.0 mm	25 mm	20 cm	—	—
60005	Air-Qsp3G	0	< 2 kg	3.0 mm	5 mm	6 cm	5 Fr	—
60055	Air-Qsp3G	0.5	2 – 4 kg	4.0 mm	8 mm	7 cm	6 Fr	—
60105	Air-Qsp3G	1	4 – 7 kg	4.5 mm	11 mm	9 cm	8 Fr	—
60155	Air-Qsp3G	1.5	7 – 17 kg	5.0 mm	14 mm	11 cm	8 Fr	—
60205	Air-Qsp3G	2	17 – 30 kg	5.5 mm	17 mm	14 cm	10 Fr	—
60305	Air-Qsp3G	3	30 – 60 kg	7.0 mm	20 mm	16 cm	14 Fr	—
60405	Air-Qsp3G	4	60 – 80 kg	8.0 mm	23 mm	18 cm	16 Fr	—
60505	Air-Qsp3G	5	> 80 kg	9.0 mm	25 mm	20 cm	18 Fr	—